Please type	а	plus	sign	(+)	inside	this	box	→	+
-------------	---	------	------	-----	--------	------	-----	---	---

PTO/SB/08A (10-96)
Approved for use through 10/31/99. OMB 0651-0031
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 1 of 1

C	omplete if K	Known
Application Number	10/810,80	06
Filing Date	March 27	7, 2004
First Named Inventor		W. Smith IPE
Group Art Unit		7
Examiner Name		/
Attorney Docket Number	Smith	, JU 27 MM &

						<u>~</u> <u>~</u>
				U.S. PATENT DOC	UMENTS	Book Columbia
Examiner Initials*	Cite No. ¹	U.S. Patent I Number	Oocument Kind Code ² (if known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns: Lines, Where Relevant Passages or Relevant Figures Appear
		1,751,562		Stinger	03-25-1930	i igures Appeal
		4,295,842		Bell	10-20-1981	
		4,367,069		Bishop	01-04-1983	
		5,087,237		Nunley	2-11-1992	
		5,108,358		Mounce	4-28-1992	
		5,111,725		Simpson, et al.	5-12-1992	
		5,300,009		Bittenbender	4-5-1994	
		5,597,878		Elkis	1-28-1997	
		5,605,527		Gillieron	2-25-1997	
						
- 						
			-			
			_		 	
					-	
					 	
					-	
					 	
					 	

				FORE	IGN PATENT DOCUMEN	TS		
	Cite	F	oreign Patent Do	cument	Name of Patentee or	Date of Publication of	Pages, Columns, Lines,	T
	No.1	Office ³	Number ⁴	Kind Code ⁵ (if known)	Applicant of Cited Document	Cited Document MM-DD-YYYY	Where Relevant Passages or Relevant Figures Appear	Ţβ
							 	
			·				······································	
			·					
								\top
							····	

		
Examiner	Date	
Signature	Considered	

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application	of)
Richard W. SMI	ТН)
Application No.	:	10/810,806)
Filed	:	March 29, 2004)
For	:	LEADING AND TRAILING EDGE STITCH TAB SCRAP STRIPPER)))

INFORMATION DISCLOSURE STATEMENT

In accordance with 37 CFR 1.97 and 1.98, and with MPEP Section 609, the materials, as set forth with specificity on the enclosed form PTO-1449, are brought to the attention of the Examiner. Since all of these materials, which were located in the course of a patentability search that was conducted prior to the preparation and filing of the subject U.S. patent application, are all U.S. patents, copies are not enclosed.

Consideration of these materials by the Examiner is respectfully requested.

Respectfully submitted,

Richard W. SMITH

Applicant

JONES, TULLAR & COOPER, P.C.

Attorneys for Applicant

Douglas R. Hanscom Reg. No. 26, 600

July 27, 2004 JONES, TULLAR & COOPER, P.C. P.O. Box 2266 Eads Station Arlington, Virginia 22202 (703) 415-1500 Smith